

UNIQUE-MAXIMUM COLORING OF PLANE GRAPHS

IGOR FABRICI¹

*Institute of Mathematics
P.J. Šafárik University in Košice
Slovakia*

AND

FRANK GÖRING

*Fakultät für Mathematik
Technische Universität Chemnitz
Germany*

Abstract

A unique-maximum k -coloring with respect to faces of a plane graph G is a coloring with colors $1, \dots, k$ so that, for each face α of G , the maximum color occurs exactly once on the vertices of α . We prove that any plane graph is unique-maximum 3-colorable and has a proper unique-maximum coloring with 6 colors.

Keywords: plane graph, weak-parity coloring, unique-maximum coloring.

2010 Mathematics Subject Classification: 05C15.

REFERENCES

- [1] J.A. Bondy and U.S.R. Murty, *Graph Theory* (Springer, 2008).
- [2] D.P. Bunde, K. Milans, D.B. West and H. Wu, *Parity and strong parity edge-coloring of graphs*, *Congr. Numer.* **187** (2007) 193–213.
- [3] P. Cheilaris, Conflict-Free Coloring, PhD Thesis (City University of New York, 2009).

¹This work was supported by the Slovak Science and Technology Assistance Agency under the contract No. APVV-0023-10, by Grant VEGA 1/0652/12, and by the Agency of the Slovak Ministry of Education for the Structural Funds of the EU under project ITMS:26220120007.

- [4] P. Cheilaris, B. Keszegh and D. Pálvölgyi, *Unique-maximum and conflict-free colouring for hypergraphs and tree graphs*, SIAM J. Discrete Math. **27** (2013) 1775–1787.
doi:10.1137/120880471
- [5] P. Cheilaris, E. Specker and S. Zachos, *Neochromatica*, Comment. Math. Univ. Carolin. **51** (2010) 469–480.
- [6] P. Cheilaris and G. Tóth, *Graph unique-maximum and conflict-free colouring*, J. Discrete Algorithms **9** (2011) 241–251.
doi:10.1016/j.jda.2011.03.005
- [7] J. Czap and S. Jendroľ, *Colouring vertices of plane graphs under restrictions given by faces*, Discuss. Math. Graph Theory **29** (2009) 521–543.
doi:10.7151/dmgt.1462
- [8] G. Even, Z. Lotker, D. Ron and S. Smorodinsky, *Conflict-free colorings of simple geometric regions with applications to frequency assignment in cellular networks*, SIAM J. Comput. **33** (2003) 94–136.
doi:10.1137/S0097539702431840
- [9] I. Fabrici, S. Jendroľ and M. Vrbjarová, *Unique-maximum edge-colouring of plane graphs with respect to faces*, Discrete Appl. Math. **185** (2015) 239–243.
doi:10.1016/j.dam.2014.12.002
- [10] R. Glebov, T. Szabó and G. Tardos, *Conflict-free coloring of graphs*.
arXiv: 1111.5501.
- [11] M. Katchalski, W. McCuaig and S. Seager, *Ordered colourings*, Discrete Math. **142** (1995) 141–154.
doi:10.1016/0012-365X(93)E0216-Q
- [12] A.V. Kostochka, M. Kumbhat and T. Luczak, *Conflict-free colorings of uniform hypergraphs with few edges*, Combin. Probab. Comput. **21** (2012) 611–622.
doi:10.1017/S0963548312000156
- [13] A. Kündgen and R. Ramamurthi, *Coloring face-hypergraphs of graphs on surfaces*, J. Combin. Theory Ser. B **85** (2002) 307–337.
doi:10.1006/jctb.2001.2107
- [14] J. Pach and G. Tardos, *Conflict-free colorings of graphs and hypergraphs*, Combin. Probab. Comput. **18** (2009) 819–834.
doi:10.1017/S0963548309990290
- [15] R. Ramamurthi and D.B. West, *Maximum face-constrained coloring of plane graphs*, Discrete Math. **274** (2004) 233–240.
doi:10.1016/j.disc.2003.09.001
- [16] S. Smorodinsky, *Conflict-free coloring and its applications*.
arXiv: 1005.3616.

Received 23 September 2014

Revised 28 April 2015

Accepted 28 April 2015